

Private Bag X44, Pretoria, 0001, South Africa, ISIbalo House, Koch Street, Salvokop, Pretoria, 0002 www.statssa.gov.za, info@statssa.gov.za, Tel +27 12 310 8911

Mortality and causes of death in South Africa, 2021

Metadata

ISBN: 978-1-83491-058-1



Dakapalo ba Aforkatora • Daskopako ba Aforka Borva • Ezzebako zaselingiotmu. Akka • Tantatsika Akka Ta hoembe • Tenhayotayo Afika Ozonya Statisteka Sula Afika • Opakopako ba Afika Borva • Fakudo zaselingiotmu. Akka • Ezsetik oukscha malkani zotizzetai. Afika • Imoabbako zotievula. Akk V 2030 NDP

IMPROVING LIVES THROUGH DATA ECOSYSTEMS

The metadata file contains the following information for each variable:

Descriptive name of variables:

A brief description of the variable name.

Variable name:

The name of the variable (provided in brackets) and as heading for the value labels.

Type and position of the variable:

The type and position of a variable within a record is recorded in the format type (@xxx L). The type specifies if the variable is a numeric or a character (string/alphanumeric variables). @xxx indicates the position (column) at which the variable starts. L indicates the length of the field.

Note to users:

The note is provided for each variable to provide additional information for further clarity on questions and definition of concepts.

Other relevant information is available on the Statistics South Africa website (<u>www.statssa.gov.za</u>) or from User Information Services:

- Statistical release on Mortality and causes of death in South Africa, 1997–2003: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2004: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2005: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2006: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2007: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2008: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2009: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2010: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2011: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2012: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2013: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2014: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2015: Findings from death notification

- Statistical release on Mortality and causes of death in South Africa, 2016: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2017: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2018: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2019: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2020: Findings from death notification
- Statistical release on Mortality and causes of death in South Africa, 2021: Findings from death notification

Methodology

1 System design

The registration of deaths is governed by the Births and Deaths Registration Act, 1992 (Act No. 51 of 1992 as amended), and is administered by the Department of Home Affairs using Forms BI-1663 and DHA-1663 (Notification/Register of death/stillbirth). After a death is registered, the Department of Home Affairs issues a death certificate and, where applicable, updates the population register. The forms are then collected by Statistics South Africa (Stats SA) for processing.

The processing of death notification forms includes sorting, pasting, pre-coding, coding and capturing. The process of sorting involves sorting the forms by year of death, month, day and finally by surname of the deceased in alphabetical order. The main purpose of sorting is to identify and remove duplicates. During data processing, unique identifiers (serial numbers) are developed for each form for the purpose of tracking the forms through the different processing phases. Because of the complexity of the coding of diseases, Stats SA decided that all demographic and socio-economic variables on the forms, except the actual causes of death, should be pre-coded to expedite the process. Thereafter, the causes of death are manually coded.

Coding the information on causes of death followed a two-step process entailing initial coding and verification by more experienced coders. The causes of death data presented were coded by procedures described in the Stats SA manual guidelines for coders using ICD-10. The ICD-10 (10th revision of the International Classification of Diseases and Related Health Problems) coding provides the basic guidance used in virtually all countries to code and classify causes of death data. It provides information on coding in terms of disease, injury and poisoning categories. It also provides the rules for selecting the underlying cause of death from the several diagnoses that may be reported on the death certificate, as well as definitions, tabulation lists, guidelines for the death notification form, and regulations on the use of the classification.

After all processes have been undertaken, the data are captured and duplicates are verified to ensure that all the death notification forms removed as duplicates during sorting were indeed duplicates, and to identify any that were mistakenly taken out as duplicates. The data are then edited and inconsistent cases manually verified.

2 Coverage

The target population is all deaths that occurred in 2021 and registered at the Department of Home Affairs. It therefore excludes deaths that might not be registered for 2021, and deaths that have been registered, but had not reached Stats SA during the 2023/2024 processing phase.

3 Datasets

There are three datasets for 2021 publication. The three datasets are linked using unique serial number.

3.1 Deceased and death information (Fact_MCOD2021_Deceased_Info)

The dataset contains records of the deceased and information relating to death. There are twenty variables in the dataset.

3.2 Dates information (Fact_MCOD2021_Dates_Info)

The dataset contains information relating about dates of birth, deaths, registration, and processing. There are eleven variables in the dataset.

3.3 Causes of deaths (Fact_MCOD2021_Causes_Info)

The dataset contains records of all causes linked to each deceased record. There are fourteen variables in the dataset. One serial number of the deceased is linked to one record of cause of death.

4 Confidentiality

The information remains confidential to Stats SA. The Statistics Act, 1999 (Act No. 6 of 1999) prohibits the disclosure of information regarding individuals to any person concerned or his/her lawful representative. Therefore, the information on mortality and causes of death published does not include personal information about the deceased or informants and is released in such a way that no individual can be identified.

Note: Unknown: Refers to cases where more than one option was marked, or the response was not legible.

Not applicable: Means the response does not apply to a particular case in question.

Unspecified: Refers to cases where no response was given.

The metadata file contains the following information for each variable:

Descriptive name of variables:

A brief description of the variable name.

- Variable name:

The name of the variable (provided in brackets) and as heading for the value labels.

- Type and position of the variable:

The type and position of a variable within a record is recorded in the format (@xxx L) where @xxx indicates the position (column) at which the variable starts, and *L* indicates the length of the field.

- Note to users:

The note is provided for each variable to provide additional information for further clarity on questions and definition of concepts.

A. INDIVIDUAL PARTICULARS AND DEATH INFORMATION (FACT_MCOD2021_DECEASED_INFO)

Unique sequence number (SerialNo)

(@1 11)

1.	SerialNo			
----	----------	--	--	--

Note to users

This variable is derived from the pasted label automatically created to provide a unique identifier for each death notification form.

Valid range: 20210000001–20210684380

Type of death (DeathType)

(@12 1)

2.	DeathType	
	1 = Individual death	
	2 = Stillbirth	

Note to users

Individual death is a death that occurred any time after a live birth had taken place. Stillbirth is the intra-uterine death of a foetus of at least 26 weeks of gestation that showed no sign of life after complete birth.

Final code list

- 1 = Individual death
- 2 = Stillbirth

Age in completed years (AgeYear)

3.	AgeYear

Note to users

This variable refers to the age of the deceased in completed years at the time of death.

Final code list

Valid range: 0-121

Sex of deceased (Sex)

4.	Sex
	1 = Male
	2 = Female
	3 = Undeterminable

Note to users

This variable provides information on the sex of the deceased.

Final code list

(@13 3)

6

- 1 = Male
- 2 = Female
- 3 = Undeterminable
- 9 = Unspecified

Marital status of deceased (MStatus)

5. MStatus 1 = Never married 2 = Married 3 = Widowed 4 = Divorced

Note to users

This variable provides information on the marital status of the deceased.

Final code list

- 1 = Never married
- 2 = Married
- 3 = Widowed
- 4 = Divorced
- 5 = Not applicable
- 9 = Unspecified

Relationship of informant to deceased (Relationship)

6. Relationship 1 = Parent 2 = Spouse 3 = Child 4 = Other kin 5 = Other

Note to users

This variable provides information on the relationship of the informant to the deceased.

Final code list

- 1 = Parent
- 2 = Spouse
- 3 = Child
- 4 = Other kin
- 5 = Other
- 9 = Unspecified

(@17 1)

(@18 1)

7.	EduCode			
	0 = None			
	1 = Grade R			
	2 = Sub A (Gr 1		
	3 = Sub B (Gr 2		
	4 = Std 1 0	Gr 3		
	5 = Std 2 0	Gr 4		
	6 = Std 3 0	Gr 5		
	7 = Std 4 0	Gr 6		
	8 = Std 5 0	Gr 7		
	9 = Std 6 0	Gr 8		
	10 = Std 7 (Gr 9		
	11 = Std 8 0	Gr 10	Form 3	NTC1
	12 = Std 9 0	Gr 11	Form 4	NTC2
	13 = Std 10 0	Gr 12	Form 5	NTC3
	14 = Universit	ty / Tec	h	

This variable provides information on the highest level of education that the deceased completed or achieved.

Final code list

0 = None1 = Grade R2 = Sub AGr 1 3 = Sub B Gr 2 4 = Std 1 Gr 3 5 = Std 2Gr 4 6 = Std 3Gr 5 7 = Std 4 Gr 6 8 = Std 5 Gr 7 9 = Std 6Gr 8 10 = Std 7 Gr 9 11 = Std 8 Gr 10 Form 3 NTC1 12 = Std 9 Gr 11 Form 4 NTC2 13 = Std 10 Gr 12 Form 5 NTC3 14 = University / Tech 97 = Unknown 98 = Not applicable 99 = Unspecified

(@19 2)

Groups of occupation of deceased (OccupationGrp)

8.	OccupationGrp
	0 = Occupations unspecified and not elsewhere specified and not
	economically active persons
	1 = Managers
	2 = Professionals
	3 = Technicians and associate professionals
	4 = Clerical support workers
	5 = Service and sales workers and armed forces
	6 = Skilled agricultural and fishery workers
	7 = Craft and related trades workers
	8 = Plant and machine operators, and assemblers
	9 = Elementary occupations

Note to users

This variable provides information on the usual occupation of the deceased. Usual occupation refers to the type of work done by the deceased during most of his or her working life.

Final code list

0 = Occupations unspecified and not elsewhere specified and not economically active persons

- 1 = Managers
- 2 = Professionals
- 3 = Technicians and associate professionals
- 4 = Clerical support workers
- 5 = Service and sales workers and armed forces
- 6 = Skilled agricultural and fishery workers
- 7 = Craft and related trade workers
- 8 = Plant and machine operators, and assemblers
- 9 = Elementary occupations
- 99 = Not applicable

Type of business / industry where the deceased was working (Industry)(@23 2)

9.	Industry
	0 = Private household, exterritorial organisations, representatives of foreign governments & other activities not adequately defined
	1 = Agriculture, hunting, forestry and fishing
	2 = Mining and quarrying
	3 = Manufacturing
	4 = Electricity, gas and water supply
	5 = Construction
	6 = Wholesale and retail; repair of motorcycles and personal and household goods; hotels and restaurants
	7 = Transport storage and communication
	8 = Financial intermediation insurance, real estate and business services
	9 = Community, social and personal services

This variable provides information on the usual industry of the deceased. Usual industry refers to the place of work the deceased spent most of his or her working life.

Final code list

- 0 = Occupations unspecified and not elsewhere specified and not economically active persons
- 1 = Managers
- 2 = Professionals
- 3 = Technicians and associate professionals
- 4 = Clerical support workers
- 5 = Service and sales workers and armed forces
- 6 = Skilled agricultural and fishery workers
- 7 = Craft and related trade workers
- 8 = Plant and machine operators and assemblers
- 9 = Elementary occupations
- 97 = Unknown
- 98 = Not applicable
- 99 = Unspecified

Smoking status of deceased (Smoker)

10.	Smoker
	1 = Yes
	2 = No
	3 = Do not know
	4 = Not applicable

Note to users

This variable provides information on the smoking status of the deceased five years before death. A smoker is defined as someone who smoked any form of tobacco on most days (an average of more than six months a year, or four or more days a week), five years ago. If smoking started less than five years before death, the answer is No. If smoking started more than five years before death, but for less than six months, the answer is No.

Final code list

- 1 = Yes
- 2 = No
- 3 = Do not know
- 4 = Not applicable
- 9 = Unspecified

(@25 1)

Pregnancy status of deceased 42 days prior to death (Pregnancy)	(@26	1)
---	------	----

11.	Pregnancy
	1 = Yes
	2 = No

This variable provides information on whether or not females of reproductive age (10–55) were pregnant 42 days prior to death.

Final code list

- 1 = Yes
- 2 = No
- 3 = Not applicable
- 8 = Unknown
- 9 = Unspecified

Population group of the deceased (PopGroup)

(@27 1)

12.	PopGroup	
	1 = Black	
	2 = White	
	3 = Indian or Asian	
	4 = Coloured	
	5 = Other	

Note to users

This variable provides information on the population group of the deceased.

Final code list

- 1 = Black African
- 2 = White
- 3 = Indian or Asian
- 4 = Coloured
- 5 = Other
- 9 = Unspecified

Citizenship of deceased (Citizenship)

13.	Citizenship
	1 = South Africa
	2 = Zimbabwe
	3 = Swaziland
	4 = Botswana
	5 = Lesotho
	6 = Mozambique
	7 = Namibia

(@28 2)

8 = Mauritius
9 = Angola
10 = Zambia
11 = Malawi
12 = Tanzania
13 = Madagascar
14 = Democratic Republic of Congo (DRC)
15 = Other

This variable provides information on the place of citizenship of the deceased.

Final code list

- 1 = South Africa
- 2 = Zimbabwe
- 3 = Swaziland
- 4 = Botswana
- 5 = Lesotho
- 6 = Mozambique
- 7 = Namibia
- 8 = Mauritius
- 9 = Angola
- 10 = Zambia
- 11 = Malawi
- 12 = Tanzania
- 13 = Madagascar
- 14 = Democratic Republic of Congo (DRC)
- 15 = Other
- 97 = Unknown
- 99 = Unspecified

Province of birth of the deceased (BirthProvince)

14.	BirthProv
	1 = Western Cape
	2 = Eastern Cape
	3 = Northern Cape
	4 = Free State
	5 = KwaZulu-Natal
	6 = North West
	7 = Gauteng
	8 = Mpumalanga
	9 = Limpopo

(@30 2)

This variable provides information on the province of birth of the deceased based on the 2011 municipal boundaries. It was derived from the place code of birth.

Final code list

- 1 = Western Cape
- 2 = Eastern Cape
- 3 = Northern Cape
- 4 = Free State
- 5 = KwaZulu-Natal
- 6 = North West
- 7 = Gauteng
- 8 = Mpumalanga
- 9 = Limpopo
- 98 = Outside South Africa
- 99 = Unspecified

Province of death occurrence (DeathProvince)

15.	DeathProv
	1 = Western Cape
	2 = Eastern Cape
	3 = Northern Cape
	4 = Free State
	5 = KwaZulu-Natal
	6 = North West
	7 = Gauteng
	8 = Mpumalanga
	9 = Limpopo

Note to users

This variable provides information on the province of death of the deceased based on the 2011 municipal boundaries. It was derived from the place code of death.

Final code list

- 1 = Western Cape
- 2 = Eastern Cape
- 3 = Northern Cape
- 4 = Free State
- 5 = KwaZulu-Natal
- 6 = North West
- 7 = Gauteng
- 8 = Mpumalanga
- 9 = Limpopo
- 98 = Outside South Africa
- 99 = Unspecified

(@32 2)

Province of usual residence of the deceased (ResProvin	ce)
--	-----

(@34 2)

16.	ResProv
	1 = Western Cape
	2 = Eastern Cape
	3 = Northern Cape
	4 = Free State
	5 = KwaZulu-Natal
	6 = North West
	7 = Gauteng
	8 = Mpumalanga
	9 = Limpopo

Note to users

This variable provides information on the province of usual residence of the deceased based on the 2011 municipal boundaries. It was derived from the place code of usual residence.

Final code list

- 1 = Western Cape
- 2 = Eastern Cape
- 3 = Northern Cape
- 4 = Free State
- 5 = KwaZulu-Natal
- 6 = North West
- 7 = Gauteng
- 8 = Mpumalanga
- 9 = Limpopo
- 99 = Unspecified

Ascertainment of the cause of death (Ascertainment)

(@36 2)

17.	Ascertainment
	1 = Autopsy
	2 = Post mortem examination
	3 = Opinion of attending medical practitioner
	4 = Opinion of attending medical practitioner on duty
	5 = Opinion of registered professional nurse
	6 = Interview of family member
	7 = Other
	8 = Autopsy results may be available later
	9 = Autopsy not performed

Note to users

This variable provides information on the method used to ascertain the cause of death.

Final code list

- 1 = Autopsy
- 2 = Post mortem examination
- 3 = Opinion of attending medical practitioner
- 4 = Opinion of attending medical practitioner on duty
- 5 = Opinion of registered professional nurse
- 6 = Interview of family member

7 = Other

- 8 = Autopsy results may be available later
- 9 = Autopsy not performed
- 98 = Unknown
- 99 = Unspecified

Place of death (DeathInst)

(@38 1)

18.	DeathInst			
	1 = Hospital			
2 = Emergency room/outpatient				
	3 = Dead on arrival			
	4 = Nursing home			
	5 = Home			
	6 = Other			

Note to users

This variable provides information on the place or institution at which the person died.

Final code list

- 1 = Hospital
- 2 = Emergency room/outpatient
- 3 = Dead on arrival
- 4 = Nursing home
- 5 = Home
- 6 = Other
- 8 = Unknown
- 9 = Unspecified

Natural/non-natural underlying causes of death (NaturalUnnatural) (

(@39 1)

19.	NaturalUnnatural	
	1 = Natural underlying cause	
	2 = Non-natural underlying cause	

Note to users

This variable groups the underlying causes of death into natural and non-natural causes. It is derived from the underlying cause of death.

Final code list

- 1 = Natural underlying cause
- 2 = Non-natural underlying cause

Birth weight in grams (Birthweight)

20. Birthweight

Note to users

This variable provides the weight at birth in grams.

Valid ranges: 500-6000

Final code list

9998 = not applicable (individual deaths, i.e. not stillborns).

B. DATES INFORMATION (FACT_MCOD2021_DATES_INFO)

Unique sequence number (SerialNo)

1. SerialNo

Note to users

This variable is derived from the pasted label automatically created to provide a unique identifier for each death notification form.

Valid range: 20210000001-20210684380

Year of death (Death Year)

2. DeathYear

Note to users

This variable refers to the year in which the death occurred.

Valid year: 1997–2021

Month of death (DeathMonth)

3.	DeathMonth
	1 = January
	2 = February
	3 = March
	4 = April
	5 = May
	6 = June
	7 = July

(@1 11)

(@1Z 4)

Mortality and causes of death from death notification, South Africa: 2021: Metadata

(@40 4)

(@12 4)

(@16 2)

8 = August
9 = September
10 = October
11 = November
12 = December

This variable provides information on the month in which the death occurred.

Final code list

1	=	Januar	y

- 2 = February
- 3 = March
- 4 = April
- 5 = May
- 6 = June
- 7 = July
- 8 = August
- 9 = September
- 10 = October
- 11 = November
- 12 = December

Day of death (DeathDay)

4.	DeathDay

Note to users

This variable provides information on the day on which the death occurred.

Valid range: 1–31

Year of birth (Birth Year)

5.	BirthYear

Note to users

6.

This variable refers to the year in which the death occurred.

Valid year: 1900-2021

Month of birth (BirthMonth)

BirthMonth

1 = January
2 = February
3 = March

Mortality and causes of death from death notification, South Africa: 2021: Metadata

(@20 4)

(@24 2)

(@18 2)

4 = April
5 = May
6 = June
7 = July
8 = August
9 = September
10 = October
11 = November
12 = December

This variable provides information on the month in which the deceased was born.

Final code list

- 1 = January
- 2 = February
- 3 = March
- 4 = April
- 5 = May
- 6 = June
- 7 = July
- 8 = August
- 9 = September
- 10 = October
- 11 = November
- 12 = December

Day of birth (BirthDay)

7. BirthDay

Note to users

This variable provides information on the day on which the deceased was born.

Final code list

Valid range: 1-31

Year of death registration (Registration Year)

(@28 4)

(@26 2)

RegistrationYear

Note to users

8.

This variable refers to the year in which a death was registered.

Final code list

Month of death registration (RegistrationMonth)

9.	RegistrationMonth
0.	
	1 = January
	2 = February
	3 = March
	4 = April
	5 = May
	6 = June
	7 = July
	8 = August
	9 = September
	10 = October
	11 = November
	12 = December

Note to users

This variable refers to the month in which the death was registered.

Final code list

- 1 = January
- 2 = February
- 3 = March
- 4 = April
- 5 = May
- 6 = June
- 7 = July
- 8 = August
- 9 = September
- 10 = October
- 11 = November
- 12 = December

Day of death registration (RegistrationDay)

RegistrationDay

· · · · · · ·

Note to users

10.

This variable provides information on the day on which the death was registered.

Final code list

Valid range: 1-31

Year of processing (Processing Year)

(@36 4)

(@34 2)

11. ProcessingYear

Note to users

This variable provides the year in which the death notification was received and processed by Statistics South Africa.

20

Final code list

Valid range: 2021

C. CAUSES INFORMATION (FACT_MCOD2021_CAUSES_INFO)

Unique sequence number (SerialNo)

1.	SerialNo		

Note to users

This variable is derived from the pasted label automatically created to provide a unique identifier for each death notification form.

Valid range: 20210000001-20210684380

Immediate cause of death (CauseA)

InjuryA

2.	CauseA
	(Refer to WHO ICD-10 Version 2016 code list)

Note to users

3.

This variable provides information on the immediate cause of death.

Injury codes for the immediate cause of death (InjuryA)

Note to users

This variable provides information on the injury codes for non-natural causes of death. 111 = Natural cause (no injury code)

Second condition leading to death (CauseB)

4.	CauseB
	(Refer to WHO ICD-10 Version 2016 code list)

Note to users

This variable provides information on the second condition leading to death.

(@12 4)

(@16 4)

(@20 4)

- /

(@1 11)

888 = Second condition leading to death not mentioned.

Injury codes for the second condition leading to death (InjuryB)

5. InjuryB

Note to users

This variable provides information on the injury codes for non-natural causes of death.

111 = Natural cause (no injury code)

888 = Second condition leading to death not mentioned.

Third condition leading to death (CauseC)

6.	CauseC
	(Refer to WHO ICD-10 Version 2016 code list)

Note to users

This variable provides information on the third condition leading to death. 888 = Third condition leading to death not mentioned.

Injury codes for the third condition leading to death (InjuryC)

	-
7	InjuryC
1.	

Note to users

This variable provides information on the injury codes for non-natural causes of death. 888 = Third condition leading to death not mentioned.

Fourth condition leading to death (CauseD)

8.	CauseD
	(Refer to WHO ICD-10 Version 2016 code list)

Note to users

9.

InjuryD

This variable provides information on the fourth condition leading to death. 888 = Fourth condition leading to death not mentioned.

Injury codes for the fourth condition leading to death (InjuryD)

Mortality and causes of death from death notification, South Africa: 2021: Metadata



(@40 4)

(@28 4)

(@24 4)

21

(@32 4)

This variable provides information on the injury codes for non-natural causes of death.

111 = Natural cause (no injury code)

888 = Fourth condition leading to death not mentioned.

Cause provided on part 2 of the death notification form (Part2Cause)

(@44 4)

10).	Part2Cause
		(Refer to WHO ICD-10 Version 2016 code list)

Note to users

This variable provides information on conditions leading to death provided on the line of part 2 of the death notification form.

888 = First cause of death on part 2 not mentioned.

Injury codes for cause on part 2 (Part2Injury)

(@48 4)

11.	Part2Injury

Note to users

This variable provides information on the injury codes for non-natural causes of death provided on the line on part 2 of the death notification form.

111 = Natural cause (no injury code)

888 = First cause of death on part 2 not mentioned.

Underlying cause of death (UnderlyingCause)

(@52 3)

14.	UnderlyingCause
	(Refer to WHO ICD-10 Version 2016 code list)

Note to users

This variable provides information on the underlying cause of death. An underlying cause of death is defined as the disease or injury which initiated the train of morbid events leading directly to death, or the circumstances of the accident or violence which produced the fatal injury.

Broad groups of the underlying causes of death (UnderlyingBroadGrp) (@55 8)

39.	UnderlyingBroadGrp
	(Refer to WHO ICD-10 categories)

This variable groups the underlying causes of death into broad groups of death. It is derived from the underlying cause of death.

40.	UnderlyingMa	ainG	rp
	A00-B99	=	Certain infectious and parasitic diseases (A00-B99)
	C00-D48	=	Neoplasms (C00-D48)
	D50-D89	=	Diseases of the blood and immune mechanism (D50-D89)
	E00-E90	=	Endocrine, nutritional and metabolic diseases (E00-E90)
	F00-F99	=	Mental and behavioural disorders (F00-F99)
	G00-G99	=	Diseases of the nervous system (G00-G99)
	H00-H59	=	Diseases of the eye and adnexa (H00-H59)
	H60-H95	=	Diseases of the ear and mastoid process (H60-H95)
	100-199	=	Diseases of the circulatory system (I00-I99)
	J00-J99	=	Diseases of the respiratory system (J00-J99)
	K00-K93	=	Diseases of the digestive system (K00-K93)
	L00-L99	=	Diseases of the skin and subcutaneous tissue (L00-L99)
	M00-M99	=	Diseases of the musculoskeletal system, etc. (M00-M99)
	N00-N99	=	Diseases of the genitourinary system (N00-N99)
	O00-O99	=	Pregnancy, childbirth and puerperium (O00-O99)
	P00-P96	=	Perinatal conditions (P00-P96)
	Q00-Q99	=	Congenital malformations (Q00-Q99)
	R00-R99	=	Symptoms and signs not elsewhere classified (R00-R99)
	V01-Y98	=	External causes of morbidity and mortality (V01-Y98)
	U071-U072	=	Covid-19 (U071-U072)

	Main groups of the underlying causes of death (UnderlyingMainGrp)	(@63 7)
--	---	---------

Note to users

This variable groups the underlying causes of death into main groups. It is derived from the underlying cause of death.